



UBODNE KRUŽNE TESTERE

Ubodne kružne testere



Ubodne kružne testere pogodne su za:
Srednje tvrdi čelik, liveno gvožđe, mesing, Al, fiberglas, drvo i plastiku.
Maximalna dubina sečenja: 41.3 mm
Tvrdoca zuba testere: Rc 65-68

Burgije za predrupu se posebno poručuju



Part No.	Nominal size mm	True dimension mm	Standard size		Shanks as required	weight g	Recommended cutting speed r.p.m.			
			Pg	ISO			Steel sheet	Cast iron	Brass	Aluminium
50191314	14	14.3			50371576	46	580	400	790	900
50191322	16	15.9	Pg 9		or 50371550	46	550	365	730	825
50191330	17	17.5		ISO 16	or 50385224	46	500	330	665	750
50191349	19	19.0	Pg 11		or 50028006	46	460	300	600	690
50191357	22	20.6	Pg 13			46	425	280	560	635
50191365	22	22.2	Pg 16			46	390	260	520	585
50191373	24	23.8				46	370	245	495	555
50191381	25	25.4		ISO 25		46	350	235	470	525
50191403	27	27.0				46	325	215	435	480
50191411	29	28.6	Pg 21			46	300	200	400	450
50191438	30	30.2				91	285	190	380	425
50191446	32	31.7			50028006	91	275	180	360	410
50191454	33	33.3		ISO 32	or 50371568	91	260	175	345	390
50191462	35	35.0			or 50371541	46	250	165	330	375
50191470	37	36.5	Pg 29		or 50028014	91	240	160	315	360
50191489	38	38.1				91	230	150	300	345
50191497	40	39.7				91	220	145	290	330
50191500	41	41.3		ISO 40		91	210	140	280	315
50191519	43	42.9				137	205	135	270	305
50191527	44	44.4				91	195	130	260	295
50191535	46	46.0				91	190	125	250	285
50191543	48	47.6	Pg 36			137	180	120	240	270
50191551	51	50.8				91	170	115	230	255

Ubodne kružne testere

Part No.	Nominal size mm	True dimension mm	Standard size		Shanks as required	weight g	Recommended cutting speed r.p.m.			
			Pg	ISO			Steel sheet	Cast iron	Brass	Aluminium
50191578	52	52.4			50371568 or 50028014	137	165	110	220	245
50191586	54	54.0	Pg 42			137	160	105	210	240
50191594	57	57.2				137	150	100	200	225
50191608	59	58.7				227	150	100	195	225
50191616	60	60.3	Pg 48			137	140	95	190	220
50191624	63	63.5		ISO 63		137	135	90	180	205
50191632	65	65.0				182	130	85	175	200
50191640	67	66.7				182	130	85	170	195
50361694	68	68.0				182	125	80	160	185
50191659	70	69.8				182	125	80	160	185
50191667	73	73.0				182	120	80	160	180
50361708	74	74.0				182	115	75	150	170
50191675	76	76.2				227	115	75	150	170
50191683	79	79.4				50371568 oder 50028014	227	110	70	140
50191691	83	82.5			273		105	70	140	155
50191705	86	85.7			273		100	65	130	150
50191713	89	88.9			273		95	65	130	145
50191721	92	92.1			273		95	60	120	140
50191748	95	95.2			318		90	60	120	135
50191756	98	98.4			318		90	60	120	135
50191764	102	101.6			318		85	55	110	130
50191772	105	104.8			363		80	55	110	120
50191780	108	108.0			363		80	55	110	120
50191799	111	111.1			363		80	50	100	120
50191802	114	114.3			409		75	50	100	105
50191810	121	120.6			499		75	50	95	95
50191829	127	127.0			545		65	45	90	90
50191837	140	139.7			545	60	35	85	85	
50191845	152	152.4			636	55	35	75	75	

Ubodne kružne testere u setu



HSS ubodne kružne testere set

Item	Part No.
HSS bi-metal hole saw set (830 PG)	50292099
HSS bi-metal hole saw set (830)	50191926
HSS hole saw set	50069330
HSS hole saw set	50069314



Part No.	Description	Nominal size mm	50292099 (830 Pg)	50191926 (830)	50069314	50069330
50191322	HSS hole saw set	16	•			
50191349	HSS hole saw set	19	•			
50191357	HSS hole saw set	22	•			
50191365	HSS bi-metal hole saw	22	•	•		
50191411	HSS hole saw set	29	•	•		
50191438	HSS hole saw set	30	•			
50191489	HSS hole saw set	38	•			
50191543	HSS hole saw set	48	•			
50191616	HSS hole saw set	60	•			
50191462	HSS hole saw set	35				
50191527	HSS hole saw set	44		•		
50191551	HSS hole saw set	51		•		
50191624	HSS hole saw set	63		•		
50191675	HSS hole saw set	76				
50191721	HSS hole saw set	92				
50191772	HSS hole saw set	105				
50191802	HSS hole saw set	114				
50191616	HSS hole saw set	60	•			
50191675	HSS hole saw set	76				
50191691	HSS hole saw set	83			•	•
50361694	HSS hole saw set	68			•	•
50371576	Arbor for HSS bi-metal hole saws			•		
50371550	Arbor for HSS bi-metal hole saws		•	•		
50371568	Arbor for HSS bi-metal hole saws		•	•		
50069292	SDS arbor for HSS hole saws				•	
50371819	Plastic case		•	•		
50302361	Plastic case					
50069306	Plastic case				•	•

NIDAS DOO zvanični zastupnik Američke firme **GREENLEE**, za Srbiju i Crnu Goru
 Beograd, Majke Kujundžić 7, Tel. 011/2417-714, 2417-715 nidas@eunet.rs www.nidas.co.rs

Ubodne kružne testere



Elektro set sa alatom za proširenje otvora

Pogodan za čelik, nebojane metale, Al, liven gvožđe, nerđajući čelik, drvo, plastiku i građevinski materijal;
Alat za proširenje otvora sa dva specijalno kaljena zuba za sečenje;
Feder za sve ubodne kružne testere od Ø 52 mm;
Utikači se mogu montirati ravno uz zid.

Isporuka obuhvata:

Elektro set sa alatom za proširenje rupa 35/68/75 mm – 50125630
Kružne ubodne testere 35, 68 i 75 mm, alat za proširenje otvora za 68 mm kružnu testeru, burgija za predrupu i kontra navrtka za ubodne kružne testere 32 – 152 mm, rezervna HSS burgija za predrupu Ø 6.35 mm.



HSS Bi-metalne kružne ubodne testere set ISO 16 - 63

Pogodan za čelik, nebojane metale, Al, liveno gvožđe, nerđajući čelik, drvo, plastiku i građevinski materijal;
Dubina sečenja: 40 – 45 mm;
Različiti oblici testera.

Isporuka obuhvata:

Set ISO 16 – 63 - 50069497,
kao i 7 kružnih ubodnih testera i burgije za predrupu 50371568 i 50371550

Ubodne kružne testere

Burgija za predrupu kod HSS bi-metalnih kružnih ubodnih testera

Veličina od 14 mm – 30 mm



Arbor mm	Hole saws Ø mm	including Pilot drill	Part No.	Additionally available Pilot drill
6.4 mm	14 - 30 mm	50376233	50371576	
7.9 mm	14 - 30 mm	50382567	50385224	
11.1 mm	14 - 30 mm	50376233	50371550	50385267

Burgija za predrupu kod HSS bi-metalnih kružnih ubodnih testera

Veličine od 32 mm – 51 mm, 32 mm – 152 mm



Arbor mm	Hole saws Ø mm	including Pilot drill	Part No.	Additionally available Pilot drill
7.9 mm	32 - 51 mm	50376233	50371541	50385267
11.1 mm	32 - 152 mm	50376233	50371568	50385267

SDS Burgija za predrupu kod HSS bi-metalnih kružnih ubodnih testera

Veličine od 32 mm – 152 mm, 14 mm – 30 mm



Arbor mm	Hole saws Ø mm	including Pilot drill	Part No.	Additionally available Pilot drill
SDS	32 - 152 mm	50382567	50069292	50385267
SDS	14 - 30 mm	50382567	50069691	50385267



Brzo menjajući karbidni vrh kružnih ubodnih testera

Pogodna za čelik, nerđajući čelik, nebojane metale, drvo do debljine 4.5 mm
Brzo menjajuća burgija za predrupu omogućava promenu glave sekača jednostavnim pritiskom i okretom iste.

Feder omogućava lakšu i bržu zamenu;

Trouglasto vratilo 9.5 mm – 50057529

Trouglasto vratilo 12.7 mm – 50057537

Burgije za predrupu poručuju se posebno !

Part No.	Nominal size mm	True dimension mm	Standard size		Shanks
			Pg	ISO	
50057529					50057529
50057537					50057529
50057618					50057529
50057626					50057529
50056913	16	15.9	Pg 9		50057529
50056921					50057529
50056930	19	19.0	Pg 11		50057529
50056948	21	20.6	Pg 13	ISO 20	50057529
50056956	22	22.2	Pg 16		50057529
50056964	27	27.0			50057529
50059572	27	27.0			50057529
50056972	29	28.6	Pg 21		50057529
50056980	31	31.0			50057529
50056999	32	31.8			50057529
50059580	34	33.3			50057529
50057006	35	34.9			50057529
50059599	37	36.5	Pg 29		50057529
50057014	38	38.1			50057529
50057022	45	44.4			50057529
50057030	51	50.8		ISO 50	50057529
50059602	54	54.0	Pg 42		50057529
50057049	58	57.2			50057537
50057057	64	63.5		ISO 63	50057537
50057065	67	66.7			50057537
50057073	76	76.2			50057537

Set brzo menjajući kružnih ubodnih testera sa karbidnim vrhom

Pogodna za čelik, nerđajući čelik, nebojene metale, drvo do debljine 4.5 mm
Feder omogućava lakšu i bržu zamenu;
Burgije za predrupu - 50057529



Proizvod	Oznaka
Set PG 16, 21, 35 mm, 45 mm, ISO 50	50057669
Set PG 16, 21, 35 mm	50058207

Burgija za predrupu

Dimenzije 16 mm – 58 mm, 60 mm – 76 mm



Proizvod	Oznaka
Burgija 16- 58 mm	50057529
Burgija 60 – 76 mm	50057537
Pilot bušilica za burgiju 50057529	50057618
Pilot bušilica za burgiju 50057537	50057626

Ubodne kružne testere

HKP Ubodna kružna testera sa karbidnim vrhom



Strugotina se lako izvlači pomoću dodatnih širokih testerastih zuba;
 Nema zagušenja ni zagrevanja karbidnih testerastih zuba;
 Pogodan je za drvo, ivericu, obloženu ivericu, presovanu ivericu,
 PVC, fiberglas, pločice, gipsane ploče;
 Žleb omogućava lakše uklanjanje izbušenog jezgra;
 Max dubina bušenja 60 mm;

Proizvod	Oznaka
HKP ubodna testera 35 mm bez burgije za predrupu	52033834
HKP ubodna testera 68 mm bez burgije za predrupu	52033835
HKP ubodna testera 74 mm bez burgije za predrupu	52033837
HKP set 35, 68 i 74 mm zajedno sa trouglastom burgijom, SDS burgijom, HSS i HM burgijom za predrupu	52033833
HKP set 68 mm zajedno sa trouglastom burgijom, HSS i HM burgijom za predrupu	52034333



Pribor	Oznaka
Trouglasta drška dužine 70 mm i prečnika 13 mm	52034328

Ubodne kružne testere



Ubodne kružne testere sa karbidnim vrhom

Ovakve testere imaju veći vek trajanja i čisto seku;
 Izmenljiva kobalt čelik burgija za bušilicu sa jedinstvenim vrhom koji sprečava stvaranje veće strugotine;
 Seče brzo, čisto i precizno rupe u nerđajućem čeliku, bakru, aluminijumu i čeliku;
 Maximalna dubina sečenja: 10 mm
 Maximalna debljina materijala: 4 mm

Part No.	True dimension mm	Minimum chuck size mm	Standard size		Recommended cutting speed r.p.m.	
			Pg	ISO	Stainless steel	Steel sheet
50383248	19.0	6.4	Pg 11		550	800
50383256	20.6	6.4	Pg 13	ISO 20	510	740
50383264	22.2	6.4	Pg 16		475	690
50383272	25.4	9.5		ISO 25	415	600
50383280	28.6	9.5	Pg 21		370	535
50383299	30.5	9.5			345	500
50383302	31.7	9.5			330	485
50383310	35.0	9.5			300	435
50383329	38.1	9.5			275	400
50383337	44.4	9.5			235	340
50383345	50.8	9.5		ISO 50	205	300
50383361	63.5	12.7		ISO 63	165	240

Izmenljiva burgija za ubodne kružne testere sa karbidnim vrhom

Pogodna za drvo, Al, čelik, plastiku i fiberglas.



Proizvod	Oznaka
Izmenljiva burgija za testere od 19 mm – 50.8 mm	50383892
Izmenljiv burgija za testeru 63.5 mm	50383906

Ubodne kružne testere sa karbidnim vrhom - set

Ovakve testere imaju veći vek trajanja i čisto seku;
Izmenljiva kobalt čelik burgija za bušilicu sa jedinstvenim vrhom koji sprečava stvaranje veće strugotine;
Seče brzo, čisto i precizno rupe u nerđajućem čeliku, bakru, aluminijumu i čeliku;
Maximalna dubina sečenja: 10 mm
Maximalna debljina materijala: 4 mm



Proizvod	Oznaka
Set testera PG16, 21 i 35 mm	50035991
Testera 22.2 mm	50383264
Testera 28.6 mm	50353280
Testera 35 mm	50383310
Palstični kofer	
Burgija za bušilicu	