





### NA 9B>=J=I A 9H7 =! '< F '% '

- Za Cu kablovske papučiće i konektore, standardni tip

mm <sup>2</sup>	Kataloška oznaka	Širina presovanja
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.
	=k	.




### NA 9B>=J=I A 9H7 =! '< 5 '% '

- Za Al kablovske papučiće i konektore po DIN

- Za Al/Cu kompresione kablovske papučiće i konektore (Al strana)


mm <sup>2</sup>	Kataloška oznaka	Širina presovanja	Oznaka
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	
	=°	.	



**NA9B>=I A9H7 =E<8 %**

- Za Cu kompresione kablovske papučiće (DIN 46235) i konektore (DIN 46267) po DIN

mm <sup>2</sup>	Kataloška oznaka	Širina presovanja	Oznaka
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	
	=)	.	



**NA9B>=I A9H7 =E<58 %**

- Za Al kablovske papučiće po DIN EN 50182

mm <sup>2</sup>	Kataloška oznaka	Oznaka
	= ° )	
	= ° )	
	= ° )	
	= ° )	
	= ° )	
	= ° )	
	= ° )	



**NA9B>=I A9H7 =E<5 < %**

- Za klemne H tipa

mm <sup>2</sup>	Kataloška oznaka	Širina presovanja
	= ° =	.
	= ° =	.
	= ° =	.



