

Klauke®



IZOLOVANI ALATI, KLEŠTA, SEČICE,
ODVIJAČI VDE

VDE TORX ODVIJAČI

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE Toreks odvijač	KL150TX10IS	100 x TX x 10	100 mm	45 gr
VDE Toreks odvijač	KL150TX15IS	100 x TX x 15	100 mm	45 gr
VDE Toreks odvijač	KL150TX20IS	100 x TX x 20	100 mm	69 gr
VDE Toreks odvijač	KL150TX25IS	100 x TX x 25	100 mm	69 gr
VDE Toreks odvijač	KL150TX30IS	100 x TX x 30	115 mm	96 gr



KL150TX15IS




**VDE ODVIJAČI ZA VIJKE SA RAVNIM
OTVOROM**

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE ravni odvijači	KL1007525IS	75 x 2.5 x 0.4	75 mm	22 gr
VDE ravni odvijači	KL10010030IS	100 x 3 x 0.5	100 mm	28 gr
VDE ravni odvijači	KL10010035IS	100 x 3.5 x 0.6	100 mm	30 gr
VDE ravni odvijači	KL10010040IS	100 x 4 x 0.8	100 mm	44 gr
VDE ravni odvijači	KL10012555IS	125 x 5.5 x 1	125 mm	70 gr
VDE ravni odvijači	KL10015065IS	150 x 6.5 x 1.2	150 mm	86 gr
VDE ravni odvijači	KL10017580IS	175 x 8 x 1.2	175 mm	135 gr



KL1007525IS



**VDE ODVIJAČI ZA VIJKE SA ZVEZDASTIM OTVOROM
PH1, PH2, PH3**

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE zvezdasti odvijači PH	KL110PH1IS	80 x PH1	80 mm	52 gr
VDE zvezdasti odvijači PH	KL110PH2IS	100 x PH2	100 mm	80 gr
VDE zvezdasti odvijači PH	KL110PH3IS	150 x PH3	150 mm	145 gr



KL110PHIS



**VDE ODVIJAČI ZA VIJKE SA KRSTASTIM OTVOROM
PZ1, PZ2, PZ3**

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE krstaste odvijači PZ	KL120PZ1IS	80 x PZ1	80 mm	49 gr
VDE krstaste odvijači PZ	KL120PZ2IS	100 x PZ2	100 mm	76 gr
VDE krstaste odvijači PZ	KL120PZ3IS	150 x PZ3	150 mm	140 gr



KL110PZIS




**VDE ODVIJAČI ZA VIJKE SA PLUS / MINUS OTVOROM
Z1, Z2,**

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE krstaste odvijači PLUS/MINUS	KL130PM1IS	80 x Z1	80 mm	52 gr
VDE krstaste odvijači PLUS/MINUS	KL130PM2IS	100 x Z2	100 mm	80 gr




KL130PM1IS



VDE-M-TEC ODVIJAČI ZA ŠESTOUGAONE ŠRAFOVE

- Sa ugrađenom oprugom - dubina uranjanja oko 41mm, idealno za duboko usađene šrafove
- Magnetni prihvat

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE šestougaoni odvijači	KL14555IS	110 x 5.5	M3	100 gr
VDE šestougaoni odvijači	KL14560IS	110 x 6	M3.5	100 gr
VDE šestougaoni odvijači	KL14570IS	110 x 7	M4	100 gr
VDE šestougaoni odvijači	KL14580IS	110 x 8	M5	110 gr
VDE šestougaoni odvijači	KL145100IS	125 x 10	M6	110 gr
VDE šestougaoni odvijači	KL145130IS	110 x 13	M8	110 gr




ISPITIVAČ NAPONA VDE 0680 150V - 250V

OPIS:

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
Ispitivač napona	KL17093IS	3.0 x 0.8	73 mm	30 gr



KL17093IS



TRODELNI SET ZVEZDASTIH ODVIJAČA VDE

KL391IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE zvezdasti odvijači PH1	KL110PH1IS	80 x PH1	80 mm	52 gr
VDE zvezdasti odvijači PH2	KL110PH2IS	100 x PH2	100 mm	80 gr
VDE ravni odvijači	KL10010035IS	100 x 3,5 x 0,6	100 mm	30 gr



KL391IS



TRODELNI SET KRSTASTIH ODVIJAČA VDE

KL392IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE zvezdasti odvijači PH1	KL120PZ1IS	80 x PZ1	80 mm	49 gr
VDE zvezdasti odvijači PH2	KL120PZ2IS	100 x PZ2	100 mm	76 gr
VDE ravni odvijači	KL10010040IS	100 x 4,0 x 0,8	100 mm	44 gr



KL392IS



**TRODELNI SET KRSTASTIH PLUS/MINUS
ODVIJAČA VDE**

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE zvezdasti odvijači PM1	KL130PM1IS	80 x Z1	80 mm	52 gr
VDE zvezdasti odvijači PM2	KL130PM2IS	100 x Z2	100 mm	80 gr
Ispitivač napona	KL19073IS	3,0 x 0,8	73 mm	30 gr



KL393IS



ŠESTODELNI SET ZVEZDASTIH ODVIJAČA VDE

KL390IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE šestougaoni odvijači	KL110PH1IS	80 x PH1	80 mm	52 gr
VDE šestougaoni odvijači	KL110PH2IS	100 x PH2	100 mm	80 gr
VDE šestougaoni odvijači	KL1007525IS	75 x 2,5 x 0,4	75 mm	22 gr
VDE šestougaoni odvijači	KL10010040IS	100 x 4,0 x 0,8	100 mm	44 gr
Ispitivač napona	KL19073IS	3,0 x 0,8	73 mm	30 gr
VDE šestougaoni odvijači	KL10012555IS	125 x 5,5 x 1,0	125 mm	70 gr




KL390IS



SEČICE VDE

KARAKTERISTIKE:

Proizvod	Kat. br	Dužina stabla	Težina
Sečice VDE	KL010160IS	160 mm	225 gr
Sečice VDE	KL010210IS	210 mm	340 gr



KL010160IS



KL010210IS



VDE Kombinovana klešta
KL020165IS/ KL020180IS/ KL020205IS

Klauke®

VDE KOMBINOVANA KLEŠTA

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Dužina stabla	Težina
VDE Kombinovana klešta	KL020165IS	165 mm	100 mm	200 gr
VDE Kombinovana klešta	KL020180IS	180 mm	100 mm	255 gr
VDE Kombinovana klešta	KL020205IS	205 mm	100 mm	280 gr

**KL020165IS
KL020180IS
KL020205IS**



NIDAS DOO zvanični zastupnik Nemačke firme KLAUKE, za Srbiju i Crnu Goru Beograd,
Majke Kujundžić 7, Tel. 011/2417-714, 2417-715 office@nidas.co.rs www.nidas.co.rs

VDE Kombinovana klešta – savijena KL026205IS

Klauke®

VDE KOMBINOVANA KLEŠTA-SAVIJENA

OPIS:

- Sa uzubljenim otvorom za stezanje OK od 11 – 17 mm² (M8 - M10)

Pogodne za:

- Ravne površine i okrugle materijale;
- DIN ISO 5746;
- Čvrsta sečiva za tvrde i meke žice;
- Optimalan prenos snage putem poluge;
- Napravljene od kovanog čelika;
- 2 komponentni materijal na drškama radi lakšeg rukovanja;

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzija	Težina
VDE Kombinovana klešta	KL026205IS	205 mm	285 gr



KL026205IS



NIDAS DOO zvanični zastupnik Nemačke firme KLAUKE, za Srbiju i Crnu Goru Beograd, Majke Kujundžić 7, Tel. 011/2417-714, 2417-715 office@nidas.co.rs www.nidas.co.rs


VDE RUČNE SEČICE - OJAČANE

OPIS:

- Nov talasasti izgled sečiva omogućava duži vek trajanja sečica;
- Pogodne su za:
 - Mekani Cu, Al i plastiku do Ø 5 / 6 / 7 mm
 - Srednje tvrde žice do Ø 2,5 / 3,5 / 4,0 mm
 - Tvrde žice, čelične žice do Ø 1.7 / 2 / 2.5 mm
 - Jednožilne i standardne kablove do Ø 8 / 11 / 13 mm
 - Visoke performanse kod tvrdih i mekih žice.

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Ojačane ručne sečice	KL040145IS	145 mm	180 gr
VDE Ojačane ručne sečice	KL040160IS	160 mm	210 gr
VDE Ojačane ručne sečice	KL040180IS	180 mm	265 gr



KL040145IS
KL040160IS
KL040180IS



VDE RUČNE SEČICE

OPIS:

Imaju četvorostruku ulogu:


- Sečenje,
- Savijanje,
- Presovanje i skidanje izolacije sa kablova.

Pogodne su za:

- Jednožilne i standardne kablove Ø 4.0 mm;
- Srednje tvrde žice do Ø 1.0 mm;
- Mekani Cu i Al, plastiku do Ø 2.0 mm;
- Skidanje izolacije 1.5 mm² i 2.5 mm²
- Ojačane sečice za sečenje licnastih žica.
- Induktivno kaljena precizna sečiva za sečenje finih provodnika

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Ručne sečice	KL042190IS	190 mm	285 gr



KL042190IS



VDE RUČNE SEČICE

OPIS:

- Ergonomski dizajnirane;
- Optimalan prenos sile;
- Novi talasasti profil sečiva za optimizovano sečenje izovlovanih kablova
- Potrebna manja sila prilikom sečenja;
- Visoke performanse kod sečenja tvrdih i klavir žica

Pogodne su za:

- Mekani Cu, Al i plastiku do Ø 3,7 / 4 / 4,5 mm
- Srednje tvrde žice do Ø 2,6 / 2,8 / 3,5 mm
- Tvrde žice, čelične žice do Ø 2.2 / 2,5 / 3.0 mm

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Ručne sečice	KL045180IS	180mm	285 gr
VDE Ručne sečice	KL044200IS	200 mm	280 gr
VDE Ručne sečice	KL045240IS	240 mm	420 gr



KL045180IS
KL044200IS
KL045240IS



OJAČANE RUČNE SEČICE

OPIS:


- Nov talasasti izgled sečiva omogućava duži vek trajanja sečica;
 - Povećana snaga prenosa putem ergonomski dizajniranog oblika;
- Pogodne su za:
- Tvrdе žice i čelične do Ø 2.6 / 2.8 / 3.5mm
 - Srednje mekane žice do Ø 3.7 / 4 / 4.5 mm
 - Klavir žice do Ø 2.2 / 2.5 / > 3.0 mm
 - Visoke performanse kod tvrdih i mekih žice.

KARAKTERISTIKE:

KL045180IS - Ojačane sečice VDE;
Dimenzija: 180 mm;
Težina: 285 gr.

KL045200IS – Ojačane sečice VDE;
Dimenzija: 200 mm;
Težina: 310 gr.

KL045240IS – Ojačane sečice VDE;
Dimenzija: 240 mm;
Težina: 420 mm.



KL045200IS



Klešta za telefoniju ravna VDE

OPIS:


- Sa uzubljenim otvorom za stezanje OK od 11 – 17 mm² (M8 - M10)

Pogodne su za:

- Mekane žice do Ø 3.9 mm;
- Srednje tvrde žice do Ø 3.2 mm;
- Tvrde žice i čelične žice do Ø 2.2 mm;
- Seku tvrde i meke žice;
- Testeraste čeljusti.

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Ravna klešta	KL050205IS	205 mm	215 gr



KL050205IS



ZAoblJENA KLEŠTA ZA TELEFONIJU VDE

OPIS:

- Sa uzubljenim otvorom za stezanje OK od 11 – 17 mm² (M8 - M10)
- Pogodne za:
 - Mekane Cu i Al žice, plastiku do Ø 3,9 / >2.5 mm;
 - Srdenje tvrde žice, šrafovi do Ø 3,2;
 - Tvrde žice i čelične žice do Ø 2.2 mm;
 - Testeraste čeljusti;
 - Otvor čeljusti zaobljen pod uglom 45°;
 - Klešta imaju sečivo za tvrde i mekane žice;

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Zaobljena klešta	KL055205IS	205 mm	215 gr



KL055205IS



KLEŠTA ZA BLANKIRANJE VDE

OPIS:

Pogodne za:

- Jednožilne i standardne kablove od Ø 0 do Ø 5 mm², i provodnike poprečnog preseka do 10 mm²
- sa elastičnim sečicama V-oblika;
- poseduje šraf za podešavanje;

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Klešta za blankiranje	KL060160IS	160 mm	185 gr



KL060160IS



VDE VODOVODNA KLEŠTA

OPIS:

- Otvor čeljusti 50 mm;
- Inegrisana zaštita za ruke;
- Podešavanje zapora
- Dvostruko nazubljene čeljusti

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Vodovodna klešta	KL070250IS	250 mm	410 gr



KL070250IS



VDE AUTOMATSKE BLANKERICE 1000 V

OPIS:

- Za fleksibilne i čvrste provodnike od 0.2 – 6 mm²
- VDE- testirane za bezbedan rad pod naponom 1000 V;
- Podesiva dužina do koje se radi blankiranje od 5 – 12 mm

KARAKTERISTIKE:

Proizvod	Kat. br	Dimenzije	Težina
VDE Automatske blankerice	KL760180IS	215mm	130 gr



KL760180IS



TRODELNI SET KLEŠTA VDE

KL303IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Težina
VDE - Kombinovana klešta	KL020180IS	180mm	255 gr
VDE Ručne sečice	KL040160IS	160 mm	210 gr
VDE Telefonska klešta	KL050205IS	205 mm	215 gr



KL303IS



ČETVORODELNI SET KLEŠTA VDE

KL304IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Težina
VDE Kombinovana klešta	KL020180IS	180 mm	255 gr
VDE Sečice	KL040160IS	160 mm	210 gr
VDE Telefonska klešta	KL050205IS	205 mm	215 gr
VDE Alat za skidanje izolacije	KL060160IS	160mm	185gr




KL304IS



ČETVORODELNI SET KLEŠTA / ODVIJAČA VDE

KL305IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Težina
VDE Kombinovana klešta	KL010160IS	160 mm	225 gr
VDE Alat za skidanje izolacije	KL060160IS	160 mm	185 gr
VDE Ravni odvijač 100*3,5*0,6 mm	KL10010035IS	100x3,5x0,6mm	
VDE Krstasti odvijač plus/minus 80*Z1 mm	KL130PM1IS	80 x Z1	



KL305IS



ŠESTODELNI SET KLEŠTA / ODVIJAČA VDE

KL306IS set obuhvata:

Proizvod	Kat. br	Dimenzije	Težina
VDE Klešta ravna	KL050205IS	205 mm	215 gr
VDE Sečice	KL040160IS	160 mm	210 gr
VDE Zvezdasti odvijač	KL110PH1IS	80 x PH1	52 gr
VDE - Zvezdasti odvijač	KL110PH2IS	100 x PH2	80 gr
VDE Ravni odvijač	KL1007525IS	75x2,5x0,4	22 gr
VDE Ravni odvijač	KL10010040IS	100x4,0x0,8	44 gr



KL306IS